

## SHALLOW SKIRTED CLOSURES

# 89-400-6201 U



## Specifications:

**DIAMETER** 89 mm  
**THREAD PROFILE** 400  
**NECK FINISH** 89-400  
**CLOSURE TOP** Stipple  
**CLOSURE SIDEWALL** Fine Ribbed  
**MATERIAL** PP

## PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	450	15	6,750	22 <sup>(1)</sup>	300 <sup>(1)</sup>	125 <sup>(1)</sup>
Bulk	500	15	7,500	28 <sup>(2)</sup>	417 <sup>(2)</sup>	100 <sup>(2)</sup>
<b>CARTON DIMENSIONS: 24 x 16 x 15</b>			<b>PALLET DIMENSIONS: 48 x 40 x 50</b>			

(1) Unlined Closures (2) Lined Closures \*Approximate

## MARKETS

Food, Food Service, Agricultural, Automotive, Industrial and Medical Products, Personal Care & Cosmetics, Pharmaceuticals, Nutraceuticals, and Soup Base.

## OPTIONS

Available in white, standard, and custom colors.  
Can be embossed/debossed with custom message.  
Offset printing is available in up to three colors.

## CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style





**PHOENIX™**

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
975 Meridian Lake Drive • Aurora, IL 60504

SHALLOW SKIRTED CLOSURES

# 89-400-6201 U



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.  THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	0	08.26.02	Released	DN					
	REV	DATE	DESCRIPTION	BY					
	TOLERANCE	PITCH/TPI	.200 / 5	TURNS	~2	MAT'L	PP		
	.X	±0.1	DRAWN	DMN	DATE	08.26.02	SCALE	1 : 1	REV
.XX	±0.02	89 - 400 - 6201 U							
.XXX	±0.010								




PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
 975 Meridian Lake Drive • Aurora, IL 60504

SHALLOW SKIRTED CLOSURES

# 89-400-6201 U



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	3.4935	3.3735	± 0.0175
PET	3.499	3.379	± 0.012
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.  THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	0	10.22.17	Released	DN					
	REV	DATE	DESCRIPTION	BY					
	TOLERANCE	PITCH/TPI	.200 / 5	TURNS	1-1/2	MAT'L	SEE CHART		
	.X	±0.1	DRAWN	DMN	DATE	10.22.07	SCALE	8 : 1	REV
	.XX	±0.02	<b>89 - 400 - FINISH</b>					0	
.XXX	±0.010								



PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
 975 Meridian Lake Drive • Aurora, IL 60504